



Color: ■ orange Similar to illustration

Electrical data

Ratings per IEC/EN	
Rated current	24 A

Physical data

Width	16.7 mm / 0.657 inches
Height	4 mm / 0.157 inches
Depth	30.6 mm / 1.205 inches
Jumper assignment	1-2

Material data

Note (material data)		Information on material specifications can be found here
Color	orange	
Material group	I	
Insulation material (main housing)	Polyamide (PA66)	
Flammability class per UL94	V0	
Fire load	0.011 MJ	
Weight	1.2 g	

Commercial data

PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454062194
Customs tariff number	85366990990



Product classification	
UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 8.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 280-494

↓

Documentation				
Bid Text				
280-494	18.08.2017	doc	23.50 KB	↓
280-494	19.02.2019	xml	2.51 KB	↓

CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 280-494	EPLAN Data Portal 280-494
↓	↓
	WSCAD Universe 280-494
	↓

1 Compatible Products
1.1 Optional Accessories
1.1.1 Tool
1.1.1.1 Operating tool



Item No.: 280-434
Operating tool; made of insulating material; 4-way; white

Installation Notes

Commoning



Using terminal blocks for matrix patching as disconnect terminal blocks via disconnect jumpers.