



Color: ■ gray

Electrical data

Ratings per IEC/EN	
Rated current	309 A

Physical data

Width	53.4 mm / 2.102 inches
Height	34.5 mm / 1.358 inches
Depth	48 mm / 1.89 inches
Jumper assignment	1-2

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0 MJ
Weight	97 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
PU (SPU)	25 (5) pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143067003
Customs tariff number	85366990990



Product classification	
UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 8.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Approvals / Certificates					
General approvals			Approvals for hazardous areas		
					
Approval	Standard	Certificate Name	Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2	154112	AEx Underwriters Laboratories Inc.	UL 60079	E185892 (AEx eb II C resp. Ex eb II C)


Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 285-1171	

Documentation			
Bid Text			
285-1171	19.02.2019	xml 2.56 KB	
285-1171	04.01.2018	doc 22.50 KB	


CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 285-1171	EPLAN Data Portal 285-1171
	
	ZUKEN Portal 285-1171
	

Installation Notes

Commoning



Commoning with an adjacent jumper: insert the jumper above the conductor entry hole – prior to conductor termination. The nominal cross-section remains unchanged.



Removing jumper via operating tool.