
Data Sheet | Item Number: 709-154

Cover; Type 2; suitable for cover carrier, type 2; 1 m long; transparent

https://www.wago.com/709-154







 ${\sf Color:} \ \square \ {\sf transparent}$

Dimensions in mm

Physical data	
Width	1000 mm / 39.37 inches
Height	160 mm / 6.299 inches
Depth	56.5 mm / 2.224 inches

Material data		
Color	transparent	
Fire load	17.76 MJ	
Weight	603 g	

Commercial data	
Product Group	2 (Terminal Block Accessories)
PU (SPU)	10 (1) pcs
Packaging type	Вох
Country of origin	DE
GTIN	4017332360647
Customs tariff number	39169010900


Product classification	
UNSPSC	30161701

Environmental Product Compliance	
RoHS Compliance Status	Compliant.No Exemption



Downloads Environmental Product Compliance Compliance Search Environmental Product Compliance 709-154

Documentation			
Bid Text			
709-154	31.08.2017	doc 23.50 KB	$\underline{\downarrow}$
709-154	19.02.2019	xml 2.55 KB	$\underline{\downarrow}$



1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Cover carrier



Item No.: 709-168

Cover carrier; Type 2; incl. fixing/retaining screws and knurled nut; suitable for 283 to 285 Series rail-mounted terminal blocks; suitable for 279 to 281 Series double- and triple-deck terminal blocks; suitable for 780 to 785, 775, 776 and 777 Series TOPJOB® rail-mounted terminal blocks; suitable for 280 Series sensor and actuator terminal blocks; suitable for 282 Series disconnect/test terminal blocks for transformer circuits; gray

Data Sheet | Item Number: 709-154

https://www.wago.com/709-154



1.1.1.2 Mounting accessories





Item No.: 209-196

Spare fixing/retaining screw; for cover

Item No.: 210-549 Spare knurled nut; for cover

1.1.2 Marking

1.1.2.1 Marking strip



Item No.: 709-183

Marking strips; for laser printer; white

Installation Notes

Marking



Inserting a marking strip into the cover.

Security



Cover with lead seals: Using covers without lead seals, the thread dome-head can be broken off.

Subject to changes. Please also observe the further product documentation!