
Data Sheet | Item Number: 709-153

Cover; Type 1; suitable for cover carrier, type 1; 1 m long; transparent

https://www.wago.com/709-153







 ${\sf Color:} \ \square \ {\sf transparent}$

Dimensions in mm

Physical data	
Width	1000 mm / 39.37 inches
Height	133 mm / 5.236 inches
Depth	42 mm / 1.654 inches

Material data		
Color	transparent	
Fire load	14.49 MJ	
Weight	503 g	

Commercial data	
Product Group	2 (Terminal Block Accessories)
PU (SPU)	10 pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332361446
Customs tariff number	39169010900

Product classification	
UNSPSC	30171605
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 9.0	EC002848
ETIM 8.0	EC002848
ECCN	NO US CLASSIFICATION

Data Sheet | Item Number: 709-153

https://www.wago.com/709-153



Environmental Product Compliance

RoHS Compliance Status Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 709-153



Documentation

Bid Text			
709-153	19.02.2019	xml 2.55 KB	<u>↓</u>
709-153	31.08.2017	doc 23.50 KB	\perp

CAD/CAE-Data

CAD data

2D/3D Models 709-153



EPLAN Data Portal 709-153



709-153

ZUKEN Portal 709-153



1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Cover carrier



Item No.: 709-167

Cover carrier; Type 1; incl. fixing/retaining screws and knurled nut; suitable for 279 to 282 and 880 Series rail-mounted terminal blocks; suitable for 264 Series miniature rail-mounted terminal blocks; suitable for 270 Series sensor and actuator terminal blocks; gray

Data Sheet | Item Number: 709-153

https://www.wago.com/709-153



1.1.1.2 Mounting accessories





Item No.: 209-196

Spare fixing/retaining screw; for cover

Item No.: 210-549 Spare knurled nut; for cover

1.1.2 Marking

1.1.2.1 Marking strip



Item No.: 709-183

Marking strips; for laser printer; white

Installation Notes

Marking



Inserting a marking strip into the cover.

Security



Cover with lead seals: Using covers without lead seals, the thread dome-head can be broken off.

Subject to changes. Please also observe the further product documentation!