

Data Sheet | Item Number: 790-114

Carrier with grounding foot; parallel to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles and 791 Series shield clamps; gray

<https://www.wago.com/790-114>



Color: ■ gray

Dimensions in mm

Item No.	A	B	C	D	E	F
790-108	51	15	8	16	55	42
790-116	53	15	16	16	57	45
790-124	78	15	24	16	83	58
790-140	97	15	40	16	100	73

Material data

Color	gray
Fire load	0.113 MJ
Weight	25.5 g

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	25 pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454352912
Customs tariff number	85369095000

Product classification

UNSPSC	39121613
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 9.0	EC002848
ETIM 8.0	EC002848
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant, No Exemption
SCIP notification number (Austria)	6c55020c-658a-4734-a7fb-513ac97a639e
SCIP notification number (Belgium)	d449eace-d9bc-4ef1-a698-6a28eef33e10
SCIP notification number (Bulgaria)	d589ea89-2246-4ad4-bf6e-b4ac87f3d920
SCIP notification number (Czech Republic)	29d65d92-910a-4480-bd0b-31e39a3e1590
SCIP notification number (Denmark)	9e70f241-c25b-4879-927c-f7a4cfde11b6
SCIP notification number (Finland)	9181c677-8e1d-4a3c-8278-5732434262ac
SCIP notification number (France)	c3ab7b9f-0a8a-437a-9acb-ad45a35e4df9
SCIP notification number (Germany)	20f8007a-820d-4bec-bcb6-d8d77ff0314e
SCIP notification number (Hungary)	c74d7418-9496-4a95-9d64-e59d4e03be86



Environmental Product Compliance	
SCIP notification number (Italy)	fa349186-59e0-4eb2-851e-4ab3ca36eb4a
SCIP notification number (Netherlands)	78d1124f-5c22-4350-b0bf-165113f983a1
SCIP notification number (Poland)	06838737-dc41-4c68-9cbf-ce0db7094abb
SCIP notification number (Romania)	4c5b3219-2441-4ccc-bcf8-da15c4db2a9d
SCIP notification number (Sweden)	0e1fb8c8-53b8-43ad-a25f-44d2da574214

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 790-114

↓

Documentation			
Bid Text			
790-114	19.02.2019	xml 2.71 KB	↓
790-114	28.11.2018	doc 23.50 KB	↓

CAD/CAE-Data	
CAD data 2D/3D Models 790-114 ↓	CAE data EPLAN Data Portal 790-114 ↓ WSCAD Universe 790-114 ↓ ZUKEN Portal 790-114 ↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Shield termination

1.1.1.1 Shield clamping saddles



[Item No.: 790-108](#)
Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm



[Item No.: 790-116](#)
Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm




[Item No.: 790-124](#)
Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm



[Item No.: 790-140](#)
Shield clamping saddle; diameter of compatible conductor

Installation Notes



Carrier with grounding foot* (790-114), 45 mm long, busbar parallel to the DIN-rail
*for all shield clamping saddle sizes