


Data Sheet | Item Number: 790-190

U-shaped busbar; Cu 10 mm x 3 mm; for 5 I/O; suitable for 750 Series I/O modules; silver-colored

<https://www.wago.com/790-190>



Color: ■ silver-colored



Material data

|           |                |
|-----------|----------------|
| Color     | silver-colored |
| Fire load | 0 MJ           |
| Weight    | 50.5 g         |

Commercial data

|                       |                                |
|-----------------------|--------------------------------|
| Product Group         | 2 (Terminal Block Accessories) |
| PU (SPU)              | 25 (5) pcs                     |
| Packaging type        | Box                            |
| Country of origin     | DE                             |
| GTIN                  | 4045454229764                  |
| Customs tariff number | 74071000000                    |

Product classification

|             |                      |
|-------------|----------------------|
| UNSPSC      | 39121410             |
| eCl@ss 10.0 | 27-14-11-46          |
| eCl@ss 9.0  | 27-14-11-46          |
| ETIM 9.0    | EC001522             |
| ETIM 8.0    | EC001522             |
| ECCN        | NO US CLASSIFICATION |

Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|



Downloads

Environmental Product Compliance

|                                          |  |  |  |
|------------------------------------------|--|--|--|
| Compliance Search                        |  |  |  |
| Environmental Product Compliance 790-190 |  |  |  |

Documentation

|          |            |                 |  |
|----------|------------|-----------------|--|
| Bid Text |            |                 |  |
| 790-190  | 19.02.2019 | xml<br>2.60 KB  |  |
| 790-190  | 28.11.2018 | doc<br>23.00 KB |  |

CAD/CAE-Data

|                      |  |                           |  |
|----------------------|--|---------------------------|--|
| CAD data             |  | CAE data                  |  |
| 2D/3D Models 790-190 |  | EPLAN Data Portal 790-190 |  |
|                      |  | WSCAD Universe 790-190    |  |
|                      |  | ZUKEN Portal 790-190      |  |

1 Compatible Products


1.1 Optional Accessories

1.1.1 Shield termination

1.1.1.1 Shield clamping saddles

|                                                                                                               |                                                                              |                                                                                                               |                                                                               |
|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
|                                                                                                               |                                                                              |                                                                                                               |                                                                               |
| <b>Item No.: 790-108</b><br>Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm  | <b>Item No.: 790-208</b><br>Shield clamping saddle; 12.4 mm wide; 3 ... 8 mm | <b>Item No.: 790-116</b><br>Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm | <b>Item No.: 790-216</b><br>Shield clamping saddle; 21.8 mm wide; 6 ... 16 mm |
|                                                                                                               |                                                                              |                                                                                                               |                                                                               |
| <b>Item No.: 790-124</b><br>Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm | <b>Item No.: 790-220</b><br>Shield clamping saddle; 30 mm wide; 6 ... 20 mm  | <b>Item No.: 790-140</b><br>Shield clamping saddle; diameter of compatible conductor                          |                                                                               |

## Installation Notes



U-shaped (10 x 3) mm copper busbar