



Color: light gray

Electrical data			
Ratings per IEC/EN		Ex information	
Rated current	18 A	Rated current (Ex e II)	13.5 A
Physical data			
Width	19 mm / 0.748 inches		
Height	2.5 mm / 0.098 inches		
Jumper assignment	1-2-3-4		
Material data			
Note (material data)		Information on material specifications can be found here	
Color	light gray		
Fire load	0.022 MJ		
Weight	1.7 g		
Commercial data			
PU (SPU)	25 (25) pcs		
Packaging type	Bag		
Country of origin	DE		
GTIN	4066966273311		
Customs tariff number	85366990990		



Product classification	
UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 8.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 870-404	↓

Documentation

Bid Text			
870-404	19.02.2019	xml 2.51 KB	↓
870-404	04.01.2018	doc 23.50 KB	↓


CAD/CAE-Data

CAD data	
2D/3D Models 870-404	↓

CAE data	
EPLAN Data Portal 870-404	↓
WSCAD Universe 870-404	↓
ZUKEN Portal 870-404	↓

Installation Notes

Commoning



Commoning with push-in type jumper bars:
Two parallel jumper slots are accommodated in one terminal block.

Push jumper bars down firmly until fully inserted. When using multipole bars, push alternately on the right and then left side until installed.
Push-in type jumper bars 1 – 3 – 5 – 7 or 1 – – 4 – – 7 upon request

