



Color: ■ light gray

| Electrical data       |      |  |        |
|-----------------------|------|--|--------|
| Ratings per IEC/EN    |      | Ex information   |        |
| Rated current         | 18 A | Rated current (Ex e II)  | 13.5 A |
|                       |      |  |        |
| Physical data         |      |  |        |
| Width                 |      | 14 mm / 0.551 inches   |        |
| Height                |      | 2.5 mm / 0.098 inches  |        |
|                       |      |  |        |
| Material data         |      |  |        |
| Note (material data)  |      | <a href="#">Information on material specifications can be found here</a> |        |
| Color                 |      | light gray   |        |
| Fire load             |      | 0.01 MJ  |        |
| Weight                |      | 1.3 g  |        |
|                       |      |  |        |
| Commercial data       |      |  |        |
| Product Group         |      | 16 (Rail Mounted Terminal Blocks with CCC)                               |        |
| PU (SPU)              |      | 200 (25) pcs   |        |
| Packaging type        |      | Box  |        |
| Country of origin     |      | DE   |        |
| GTIN                  |      | 4044918507264  |        |
| Customs tariff number |      | 85366990990  |        |



| Product classification |                      |
|------------------------|----------------------|
| UNSPSC                 | 39121421             |
| eCl@ss 10.0            | 27-14-11-40          |
| eCl@ss 9.0             | 27-14-11-40          |
| ETIM 9.0               | EC000489             |
| ETIM 8.0               | EC000489             |
| ECCN                   | NO US CLASSIFICATION |

| Environmental Product Compliance |                        |
|----------------------------------|------------------------|
| RoHS Compliance Status           | Compliant,No Exemption |

Downloads

Environmental Product Compliance

| Compliance Search                        |                   |
|--|-------------------|
| Environmental Product Compliance 870-403 | <a href="#">↓</a> |

Documentation

| Bid Text |            |                 |                   |
|----------|------------|-----------------|-------------------|
| 870-403  | 19.02.2019 | xml<br>2.51 KB  | <a href="#">↓</a> |
| 870-403  | 04.01.2018 | doc<br>23.50 KB | <a href="#">↓</a> |


CAD/CAE-Data

| CAD data             |                   |
|----------------------|-------------------|
| 2D/3D Models 870-403 | <a href="#">↓</a> |

| CAE data                  |                   |
|---------------------------|-------------------|
| EPLAN Data Portal 870-403 | <a href="#">↓</a> |
| WSCAD Universe 870-403    | <a href="#">↓</a> |
| ZUKEN Portal 870-403      | <a href="#">↓</a> |

Installation Notes

Commoning



Commoning with push-in type jumper bars:  
Two parallel jumper slots are accommodated in one terminal block.

Push jumper bars down firmly until fully inserted. When using multipole bars, push alternately on the right and then left side until installed.  
Push-in type jumper bars 1 – 3 – 5 – 7 or 1 – – 4 – – 7 upon request

