



Color:  light gray

Similar to illustration

Electrical data

| Ratings per IEC/EN |      | Ex information          |        |
|--------------------|------|-------------------------|--------|
| Rated current      | 18 A | Rated current (Ex e II) | 13.5 A |

Physical data

|                   |                       |
|-------------------|-----------------------|
| Width             | 39 mm / 1.535 inches  |
| Height            | 2.5 mm / 0.098 inches |
| Jumper assignment | 1-2-3-4-5-6-7-8       |

Material data

|                      |  |
|----------------------|--|
| Note (material data) | <a href="#">Information on material specifications can be found here</a> |
| Color                | light gray   |
| Fire load            | 0.043 MJ   |
| Weight               | 3.5 g  |

Commercial data

|                       |  |
|-----------------------|--|
| Product Group         | 16 (Rail Mounted Terminal Blocks with CCC) |
| PU (SPU)              | 25 (25) pcs                                |
| Packaging type        | Bag  |
| Country of origin     | DE   |
| GTIN                  | 4066966274493                              |
| Customs tariff number | 85366990990                                |



| Product classification |                      |
|------------------------|----------------------|
| UNSPSC                 | 39121421             |
| eCl@ss 10.0            | 27-14-11-40          |
| eCl@ss 9.0             | 27-14-11-40          |
| ETIM 9.0               | EC000489             |
| ETIM 8.0               | EC000489             |
| ECCN                   | NO US CLASSIFICATION |

| Environmental Product Compliance |                        |
|----------------------------------|------------------------|
| RoHS Compliance Status           | Compliant,No Exemption |

## Downloads

### Environmental Product Compliance

| Compliance Search                        |                   |
|--|-------------------|
| Environmental Product Compliance 870-408 | <a href="#">↓</a> |

## Documentation

| Bid Text |            |                 |                   |
|----------|------------|-----------------|-------------------|
| 870-408  | 19.02.2019 | xml<br>2.51 KB  | <a href="#">↓</a> |
| 870-408  | 04.01.2018 | doc<br>23.50 KB | <a href="#">↓</a> |


## CAD/CAE-Data

| CAD data             |                   |
|----------------------|-------------------|
| 2D/3D Models 870-408 | <a href="#">↓</a> |

| CAE data                  |                   |
|---------------------------|-------------------|
| EPLAN Data Portal 870-408 | <a href="#">↓</a> |
| WSCAD Universe 870-408    | <a href="#">↓</a> |
| ZUKEN Portal 870-408      | <a href="#">↓</a> |

## Installation Notes

### Commoning



Commoning with push-in type jumper bars:  
Two parallel jumper slots are accommodated in one terminal block.

Push jumper bars down firmly until fully inserted. When using multipole bars, push alternately on the right and then left side until installed.  
Push-in type jumper bars 1 – 3 – 5 – 7 or 1 – – 4 – – 7 upon request

