

**Cutting tools
KT 8****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 1429-0

Fax: +49 5231 14292083

www.weidmueller.com



Cutting tools for conductors up to 8 mm, 12 mm, 14 mm and 22 mm outside diameter. The special blade geometry allows pinch-free cutting of copper and aluminium conductors with minimum physical effort. The cutting tools also come with VDE and GS-tested protective insulation up to 1,000 V in accordance with EN/IEC 60900.

General ordering data

Type	KT 8
Order No.	9002650000
Version	Cutting tools ,Cutting tool for one-hand operation
GTIN (EAN)	4008190020163
Qty.	1 pc(s).

Cutting tools

KT 8

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Technical data

Dimensions and weights

Length	185 mm	Length (inches)	7.283 inch
Width	65.5 mm	Width (inches)	2.579 inch
Height	30 mm	Height (inches)	1.181 inch
Weight	180 g	Net weight	220 g

Technical data

Version	One-hand mechanical
---------	---------------------

Cutting tools

Copper cable - flexible, max.	16 mm ²	Copper cable - flexible, max. (AWG)	6
Copper cable - solid, max.	16 mm ²	Copper cable - solid, max. (AWG)	6
Copper cable - stranded, max.	16 mm ²	Copper cable - stranded, max. (AWG)	6
Copper cable, max. diameter	8 mm	Data / telephone / control cable, max. Ø	8 mm
Single-core aluminium cable, max.(mm ²)	16 mm ²	Stranded aluminium cable, max (mm ²)	16 mm ²
Stranded aluminium cable, max. (AWG)	6	Stranded aluminium cable, max. diameter	8 mm

Classifications

ETIM 3.0	EC000005	ETIM 4.0	EC000005
ETIM 5.0	EC000142	ETIM 6.0	EC000142
UNSPSC	31-16-31-02	eClass 5.1	27-40-02-01
eClass 6.2	21-04-90-90	eClass 7.1	21-04-90-11
eClass 8.1	21-04-90-11	eClass 9.0	21-04-90-11
eClass 9.1	21-04-37-06		

Product information

Descriptive text technical data	Tool closed
---------------------------------	-------------

Approvals

Approvals



ROHS	Conform
------	---------

Cutting tools KT 8

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Drawings

-  max. 8 mm
-  max. 16 mm²
-  max. 16 mm²
-  max. 16 mm²

Example of use

